


CONRAD SECTION 475 E

Looking West



1,300 m

SILTSTONE

UPPER CONRAD ZONE

MUDSTONE

1,200 m

7.02 g/t Au
13.19 m

4.72 g/t Au
7.47 m

1,100 m

2.18 g/t Au
17.81 m

5.55 g/t Au
15.24 m

1,000 m

5.50 g/t Au
4.40 m

2.79 g/t Au
6.09 m

900 m

LOWER CONRAD ZONE

9.50 g/t Au
30.79 m

LIMESTONE

- Mineralized intersection Aug. 26, 2014
- Previously reported intersection
- Mineralized zone
- Drill hole goes off section
- Fault

*True widths for all reported Conrad drill holes are estimated to be 60 - 100% of intersected widths.

11.24 g/t Au
46.06 m

2.53 g/t Au
65.53 m

6.60 g/t Au
19.01 m

1.61 g/t Au
64.00 m

3.31 g/t Au
19.81 m

11.56 g/t Au
3.27 m

3.46 g/t Au
15.39 m

2.01 g/t Au
12.19 m

11-019

12-103

11-025

12-163

12-165

NADALEN FAULT

12-137

12-102

11-060

12-149

OS -14-227

5.20 g/t Au
28.46 m

3.49 g/t Au
18.29 m

4.38 g/t Au
24.39 m

4.54 g/t Au
9.15 m