

### Tiger Highlight Diamond Drill Results

Hole	From (m)	To (m)	Interval (m)	Gold (g/t)	Type
RAU-08-002	52.73	121.42	68.69	1.24	Sulphide
RAU-08-003	9.14	42.67	33.53	2.51	Oxide
and	51.81	62.55	10.74	0.71	Oxide
RAU-08-004	101.61	170.25	68.64	1.65	Sulphide
RAU-08-005	71.50	100.38	28.88	2.26	Sulphide
and	109.38	150.04	40.66	1.64	Sulphide
RAU-08-006	9.70	45.70	36.00	1.57	Sulphide
and	54.70	66.70	12.00	2.56	Sulphide
RAU-08-007	136.52	142.52	6.00	1.05	Sulphide
and	172.87	186.87	14.00	5.20	Sulphide
and	226.87	237.87	11.00	1.52	Sulphide
RAU-08-008	165.94	171.94	6.00	0.77	Sulphide
and	192.94	198.94	6.00	0.96	Sulphide
RAU-08-010	79.90	85.90	6.00	0.53	Sulphide
RAU-08-011	19.67	28.41	8.74	2.87	Sulphide
and	124.17	130.17	6.00	0.57	Sulphide
and	168.91	188.27	19.36	1.05	Sulphide
and	227.08	235.65	8.57	0.65	Sulphide
RAU-08-013	103.05	121.05	18.00	1.46	Sulphide
RAU-08-016	8.84	79.25	70.41	1.98	Oxide
RAU-08-018	58.72	69.20	10.48	1.83	Sulphide
and	134.02	143.02	9.00	0.93	Sulphide
RAU-09-019	43.59	71.63	28.04	24.07	Oxide
RAU-09-021	20.73	45.11	24.38	0.69	Oxide
RAU-09-022	64.31	71.63	7.32	0.25	Oxide
RAU-09-023	60.35	87.78	27.43	9.72	Oxide
RAU-09-024	75.00	82.66	7.66	0.76	Oxide
and	102.41	122.83	20.42	0.94	Oxide
RAU-09-025	7.01	17.68	10.67	0.45	Oxide
and	51.21	75.59	24.38	1.36	Oxide
and	81.69	87.78	6.09	0.45	Oxide
and	127.41	134.75	7.34	0.33	Oxide
RAU-09-026	34.62	40.84	6.22	1.11	Sulphide
and	69.94	83.82	13.88	0.97	Sulphide
and	90.73	98.15	7.42	1.06	Sulphide
RAU-09-027	16.15	70.75	54.60	3.16	Oxide
RAU-09-028	88.39	107.29	18.90	1.58	Oxide
and	89.31	96.93	7.62	0.79	Sulphide
and	109.55	117.82	8.27	1.40	Sulphide
RAU-09-031	7.03	72.54	65.51	2.13	Oxide
RAU-09-033	55.62	102.87	47.25	1.04	Oxide

<b>Hole</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>Gold (g/t)</b>	<b>Type</b>
RAU-09-034	45.00	121.31	76.31	2.32	Oxide
RAU-09-035	117.43	123.48	6.05	1.42	Sulphide
RAU-09-036	31.60	93.36	61.76	3.14	Oxide
and	93.36	99.37	6.01	3.90	Sulphide
RAU-09-037	13.11	26.20	13.09	2.73	Oxide
and	40.73	49.68	8.95	0.34	Oxide
and	69.49	77.11	7.62	0.91	Sulphide
RAU-09-038	32.32	51.51	19.19	1.44	Oxide
and	100.92	107.66	6.74	0.39	Oxide
and	120.40	129.00	8.60	0.37	Oxide
RAU-09-039	96.01	103.18	7.17	1.34	Oxide
RAU-09-040	7.01	22.38	15.37	1.14	Oxide
RAU-09-041	71.63	96.10	24.47	19.58	Oxide
and	113.65	124.51	10.86	0.40	Oxide
and	143.60	153.92	10.32	0.67	Oxide
and	166.12	172.21	6.09	0.35	Oxide
RAU-09-042	10.06	23.00	12.94	2.27	Sulphide
and	40.54	61.87	21.33	2.04	Sulphide
and	107.59	113.69	6.10	0.80	Sulphide
RAU-09-043	8.95	48.90	39.95	1.91	Oxide
RAU-09-044	183.59	220.37	36.78	3.71	Sulphide
RAU-09-045	88.24	123.44	35.20	0.91	Sulphide
and	175.00	181.90	6.90	0.74	Sulphide
RAU-09-046	13.11	72.84	59.73	5.44	Oxide
RAU-09-047	25.91	32.00	6.09	0.26	Oxide
and	49.83	88.39	38.56	2.59	Oxide
RAU-09-048	54.25	78.88	24.63	3.07	Oxide
RAU-09-050	35.97	42.06	6.09	0.52	Sulphide
RAU-09-051	3.96	27.28	23.32	1.07	Oxide
RAU-09-053	51.88	101.50	49.62	2.15	Oxide
and	122.83	131.62	8.79	0.30	Oxide
RAU-09-054	50.29	56.39	6.10	0.85	Sulphide
RAU-09-056	72.54	108.34	35.80	3.77	Oxide
RAU-09-057	51.82	62.48	10.66	1.03	Oxide
RAU-09-059	14.63	21.65	7.02	0.64	Oxide
and	21.65	57.30	35.65	2.55	Sulphide
and	60.40	79.86	19.46	5.44	Oxide
and	79.86	92.95	13.09	0.68	Sulphide
and	104.55	111.21	6.66	0.58	Sulphide
RAU-09-060	6.10	16.85	10.75	4.91	Sulphide
and	16.85	21.20	4.35	5.99	Oxide
and	21.20	99.06	77.86	2.06	Sulphide

<b>Hole</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>Gold (g/t)</b>	<b>Type</b>
RAU-09-061	170.43	177.60	7.17	0.75	Sulphide
and	317.40	340.46	23.06	3.36	Sulphide
RAU-09-062	6.10	36.58	30.48	3.01	Oxide
RAU-09-063	5.00	13.11	8.11	1.32	Oxide
RAU-09-063	35.97	58.83	22.86	3.68	Oxide
RAU-09-064	104.97	111.55	6.58	2.34	Sulphide
and	219.25	225.55	6.30	1.38	Sulphide
and	246.89	254.35	7.46	0.51	Sulphide
RAU-09-065	75.59	83.21	7.62	0.34	Oxide
and	112.95	152.11	39.16	0.97	Oxide
RAU-09-066	7.01	13.65	6.64	11.95	Oxide
and	13.65	103.02	89.37	3.45	Sulphide
RAU-09-067	1.52	9.14	7.62	1.16	Oxide
and	9.14	28.96	19.82	2.16	Sulphide
and	38.10	54.86	16.76	1.15	Sulphide
RAU-09-068	7.42	52.14	44.72	3.37	Oxide
RAU-09-069	4.57	21.34	16.77	3.18	Sulphide
and	39.62	58.85	19.23	3.11	Sulphide
RAU-09-070	10.30	28.96	18.66	1.63	Sulphide
and	35.20	53.34	18.14	0.50	Sulphide
and	60.96	67.50	6.54	1.71	Sulphide
RAU-09-071	6.10	25.91	19.81	3.96	Oxide
and	27.43	33.53	6.10	0.54	Sulphide
RAU-09-071	69.91	77.72	7.81	0.50	Sulphide
RAU-10-072	178.92	187.81	8.89	0.40	Oxide
RAU-10-073	121.00	127.00	6.00	1.41	Sulphide
and	172.95	205.00	32.05	1.97	Sulphide
RAU-10-074	179.22	192.18	12.96	0.33	Oxide
RAU-10-075	142.34	148.44	6.10	1.01	Sulphide
and	193.55	202.69	9.14	0.67	Sulphide
RAU-10-079	83.67	103.02	19.35	5.29	Oxide
RAU-10-080	118.00	125.14	7.14	1.56	Sulphide
RAU-10-081	106.31	117.33	11.02	1.77	Sulphide
RAU-10-082	6.09	53.34	47.25	1.28	Sulphide
RAU-10-083	110.66	116.89	6.23	4.34	Sulphide
RAU-10-085	36.58	44.20	7.62	0.61	Sulphide
and	57.91	72.75	14.84	0.91	Oxide
and	76.40	91.81	15.41	0.71	Sulphide
RAU-10-086	6.10	24.38	18.28	0.58	Oxide
and	66.00	72.00	6.00	0.96	Oxide
RAU-10-087	105.84	113.46	7.62	4.94	Sulphide
and	277.00	295.28	18.28	1.95	Sulphide

<b>Hole</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>Gold (g/t)</b>	<b>Type</b>
RAU-10-088	31.00	91.44	60.44	8.49	Oxide
RAU-10-089	103.30	115.29	11.99	0.68	Sulphide
and	256.40	272.00	15.60	0.69	Sulphide
and	317.74	327.61	9.87	0.93	Sulphide
RAU-10-090	32.92	71.72	38.80	17.11	Oxide
RAU-10-091	99.65	109.12	9.47	0.91	Sulphide
RAU-10-094	12.02	87.78	75.76	5.57	Oxide
RAU-10-096	4.57	14.09	9.52	4.17	Oxide
and	14.09	27.21	13.12	5.11	Sulphide
and	27.21	43.56	16.35	3.03	Oxide
and	50.81	57.91	7.10	1.02	Oxide
and	62.48	70.10	7.62	1.54	Oxide
RAU-10-100	127.85	140.00	12.15	0.60	Sulphide
and	162.00	169.61	7.61	2.35	Sulphide
RAU-10-101	223.38	256.34	32.96	1.02	Oxide
RAU-10-102	45.11	122.83	77.72	1.25	Oxide
RAU-10-103	85.34	94.45	9.11	1.05	Sulphide
and	149.02	164.00	14.98	2.50	Sulphide
RAU-10-104	42.06	49.89	7.83	0.59	Oxide
RAU-10-105	210.92	222.20	11.28	6.34	Oxide
RAU-10-108	87.78	125.44	37.66	3.16	Oxide
RAU-10-109	135.60	150.47	14.87	2.35	Oxide
RAU-10-111	155.59	186.93	31.34	1.10	Sulphide
and	211.23	219.57	8.34	0.32	Oxide
RAU-10-112	171.60	182.27	10.67	0.48	Oxide
and	189.89	202.47	12.58	1.74	Oxide
RAU-10-113	139.30	146.20	6.90	0.66	Oxide
RAU-10-114	122.13	148.74	26.61	2.36	Oxide
RAU-10-115	184.20	194.70	10.50	1.11	Sulphide
RAU-10-116	57.30	108.40	51.10	3.46	Oxide
RAU-10-117	87.48	160.69	73.21	1.82	Sulphide
RAU-10-118	75.59	130.45	54.86	1.62	Oxide
RAU-10-119	121.01	136.25	15.24	2.05	Sulphide
RAU-10-120	61.57	131.23	69.66	2.26	Oxide
RAU-10-121	36.00	92.35	56.35	1.08	Oxide
RAU-10-122	52.73	95.40	42.67	3.42	Oxide
RAU-10-123	48.16	57.30	9.14	0.73	Sulphide
RAU-10-123	64.92	71.02	6.10	0.85	Sulphide
RAU-10-124	7.01	17.80	10.79	7.96	Oxide
and	29.87	55.78	25.91	6.91	Oxide
RAU-10-124	55.78	89.31	33.53	1.10	Sulphide
RAU-10-125	62.48	82.29	19.81	7.12	Oxide

<b>Hole</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>Gold (g/t)</b>	<b>Type</b>
RAU-10-125	89.92	100.58	10.66	0.42	Oxide
RAU-10-126	3.96	48.73	44.77	1.95	Oxide
and	55.62	84.73	29.11	1.09	Oxide
RAU-10-127	12.19	71.63	59.44	1.37	Oxide
RAU-10-128	42.06	84.73	42.67	2.30	Oxide
RAU-10-129	24.38	76.90	52.52	3.10	Oxide
RAU-10-130	7.01	39.01	32.00	0.67	Oxide
and	46.63	86.26	39.63	0.69	Oxide
RAU-10-131	18.82	57.91	39.09	1.92	Oxide
RAU-10-132	29.87	62.51	32.64	8.91	Oxide
and	95.40	110.76	15.36	0.86	Sulphide
RAU-15-134	58.52	63.09	4.57	4.42	Oxide
RAU-15-138	6.10	19.81	13.71	0.75	Oxide
RAU-15-139	15.24	53.49	38.25	2.81	Oxide
RAU-15-140	10.67	24.90	14.23	0.74	Oxide
RAU-15-141	4.75	31.54	26.79	0.82	Oxide
RAU-15-142	4.57	15.24	10.67	2.07	Oxide
and	22.86	35.05	12.19	1.63	Oxide
RAU-15-143	4.57	22.86	18.29	1.85	Oxide
and	33.53	48.77	15.24	0.99	Oxide
RAU-15-144	21.34	38.10	16.76	0.75	Sulphide
and	44.20	62.48	18.28	2.01	Sulphide
RAU-15-146	19.81	25.91	6.10	2.24	Oxide
RAU-15-147	9.14	27.43	18.29	2.32	Oxide
RAU-15-148	12.19	28.96	16.77	1.34	Oxide
RAU-15-149	15.24	27.43	12.19	2.77	Oxide
RAU-15-150	5.49	32.92	27.43	1.30	Oxide
and	48.16	60.35	12.19	0.75	Oxide
RAU-17-151	4.57	65.76	61.19	1.32	Sulphide
RAU-17-153	1.79	41.15	39.36	2.41	Sulphide
RAU-17-154	42.67	106.68	64.01	2.46	Sulphide
RAU-17-155	6.10	53.64	47.54	1.73	Sulphide
RAU-17-156	49.63	106.40	56.77	4.08	Sulphide
RAU-17-157	42.13	79.25	37.12	5.23	Sulphide
and	94.49	127.59	33.10	2.80	Sulphide
RAU-17-158	46.32	61.57	15.25	4.61	Sulphide
and	76.81	121.01	44.20	1.03	Sulphide
RAU-17-159	30.48	82.30	51.82	5.66	Oxide
RAU-17-160	9.14	30.48	21.34	2.59	Oxide

True width for diamond drill results are estimated to be 70% - 100% of intersected widths